

Logiweb dictionary of check

Up Help

- 0 0 check
- 1 2 [$*$ $\overset{\circ}{=}$ $*$]
- 2 1 RootVisible($*$)
- 3 0 A
- 4 0 R
- 5 0 C
- 6 0 T
- 7 0 L
- 8 1 $\{*\}$
- 9 1 $\bar{*}$
- 10 0 *a*
- 11 0 *b*
- 12 0 *c*
- 13 0 *d*
- 14 0 *e*
- 15 0 *f*
- 16 0 *g*
- 17 0 *h*
- 18 0 *i*
- 19 0 *j*
- 20 0 *k*
- 21 0 *l*
- 22 0 *m*
- 23 0 *n*
- 24 0 *o*
- 25 0 *p*
- 26 0 *q*
- 27 0 *r*
- 28 0 *s*

- 29 0 t
- 30 0 u
- 31 0 v
- 32 0 w
- 33 0 x
- 34 0 y
- 35 0 z
- 36 4 $\langle * \equiv * \mid * := * \rangle$
- 37 4 $\langle * \equiv^0 * \mid * := * \rangle$
- 38 4 $\langle * \equiv^1 * \mid * := * \rangle$
- 39 4 $\langle * \equiv^* * \mid * := * \rangle$
- 40 2 $\text{Ded}(*, *)$
- 41 2 $\text{Ded}_0(*, *)$
- 42 3 $\text{Ded}_1(*, *, *)$
- 43 3 $\text{Ded}_2(*, *, *)$
- 44 4 $\text{Ded}_3(*, *, *, *)$
- 45 4 $\text{Ded}_4(*, *, *, *)$
- 46 4 $\text{Ded}_4^*(*, *, *, *)$
- 47 3 $\text{Ded}_5(*, *, *)$
- 48 4 $\text{Ded}_6(*, *, *, *)$
- 49 4 $\text{Ded}_6^*(*, *, *, *)$
- 50 1 $\text{Ded}_7(*)$
- 51 2 $\text{Ded}_8(*, *)$
- 52 2 $\text{Ded}_8^*(*, *)$
- 53 0 S
- 54 0 Neg
- 55 0 MP
- 56 0 Gen
- 57 0 Ded
- 58 0 $S1$
- 59 0 $S2$
- 60 0 $S3$
- 61 0 $S4$
- 62 0 $S5$

63 0 S6
64 0 S7
65 0 S8
66 0 S9
67 0 Repetition
68 0 A1'
69 0 A2'
70 0 A4'
71 0 A5'
72 0 Prop 3.2a
73 0 Prop 3.2b
74 0 Prop 3.2c
75 0 Prop 3.2d
76 0 Prop 3.2e₁
77 0 Prop 3.2e₂
78 0 Prop 3.2e
79 0 Prop 3.2f₁
80 0 Prop 3.2f₂
81 0 Prop 3.2f
82 0 Prop 3.2g₁
83 0 Prop 3.2g₂
84 0 Prop 3.2g
85 0 Prop 3.2h₁
86 0 Prop 3.2h₂
87 0 Prop 3.2h
88 3 Block₁(*, *, *)
89 1 Block₂(*)
90 1 *^{hide}
91 1 MacroIndent(*)
92 1 *'
93 2 * = *
94 2 * ≠ *
95 1 *^{var}
96 2 *#⁰*

97 2 *#¹*
 98 2 *#* *
 99 2 ∃*: *
 100 2 ∀*: *
 101 2 ∀_{obj}*: *
 102 2 * ⇒ *
 103 2 * ⇔ *
 104 2 *#*
 105 2 * ⊇ *
 106 2 Π*: *
 107 3 Begin *; * : End; *
 108 2 Last block line * ≫ * ;
 109 2 Arbitrary ≫ *; *
 110 2 * | *
 111 0 →
 112 2 **

The pyk compiler, version 0.grue.20060417+ by Klaus Grue
GRD-2006-05-04.UTC:15:42:31.918490 = MJD-53859.TAI:15:43:04.918490 =
LGT-4653474184918490e-6