

Logiweb dictionary of peano

Up [Help](#)

0 0 peano

1 0 $\dot{0}$

2 0 $\dot{1}$

3 0 $\dot{2}$

4 0 $\dot{a}$

5 0 $\dot{b}$

6 0 $\dot{c}$

7 0 $\dot{d}$

8 0 $\dot{e}$

9 0 $\dot{f}$

10 0 $\dot{g}$

11 0 $\dot{h}$

12 0 $\dot{i}$

13 0 $\dot{j}$

14 0 $\dot{k}$

15 0 $\dot{l}$

16 0 $\dot{m}$

17 0 $\dot{n}$

18 0 $\dot{o}$

19 0 $\dot{p}$

20 0 $\dot{q}$

21 0 $\dot{r}$

22 0 $\dot{s}$

23 0 $\dot{t}$

24 0 $\dot{u}$

25 0 $\dot{v}$

26 0 $\dot{w}$

27 0 $\dot{x}$

28 0 $\dot{y}$

29 0 $\dot{z}$
 30 2 $\text{nonfree}(*,*)$
 31 2 $\text{nonfree}^*(*,*)$
 32 3 $\text{free}\langle *|* := *\rangle$
 33 3 $\text{free}^*\langle *|* := *\rangle$
 34 4 $*\equiv\langle *|* := *\rangle$
 35 4 $*\equiv\langle *|* := *\rangle$
 36 0 S
 37 0 A1
 38 0 A2
 39 0 A3
 40 0 A4
 41 0 A5
 42 0 S1
 43 0 S2
 44 0 S3
 45 0 S4
 46 0 S5
 47 0 S6
 48 0 S7
 49 0 S8
 50 0 S9
 51 0 MP
 52 0 Gen
 53 0 L3.2(a)
 54 0 S'
 55 0 A1'
 56 0 A2'
 57 0 A3'
 58 0 A4'
 59 0 A5'
 60 0 S1'
 61 0 S2'
 62 0 S3'

63 0 S4'
 64 0 S5'
 65 0 S6'
 66 0 S7'
 67 0 S8'
 68 0 S9'
 69 0 MP'
 70 0 Gen'
 71 0 L3.2(a)'
 72 0 M1.7
 73 0 MP'_h
 74 0 Hypothesize
 75 0 Gen'_h
 76 0 M3.2(a)
 77 0 M3.2(a)_h
 78 0 M3.2(b)_h
 79 0 M3.1(S1')_h
 80 0 M3.2(c)_h
 81 0 M3.1(S2')_h
 82 0 M3.1(S5')_h
 83 0 M3.1(S6')_h
 84 0 M3.2(f)
 85 1 ∗
 86 1 ∗'
 87 2 ∗ ∙ ∗
 88 2 ∗ $\dot{+}$ ∗
 89 2 ∗ $\stackrel{p}{=}$ ∗
 90 1 ∗^P
 91 1 ∗ $\dot{-}$ ∗
 92 2 ∗ $\dot{\wedge}$ ∗
 93 2 ∗ $\dot{\vee}$ ∗
 94 2 $\dot{\vee} \ast \colon \ast$
 95 2 $\dot{\exists} \ast \colon \ast$
 96 2 ∗ $\dot{\Rightarrow}$ ∗

$$97 \quad 2 \quad * \quad \dot{\Leftrightarrow} \quad *$$

$$98 \quad 2 \quad * \quad \triangleq \quad *$$

$$99 \quad 2 \quad * \quad \triangleq_{\text{h}} \quad *$$

The pyk compiler, version 0.grue.20050603 by Klaus Grue
GRD-2005-06-22.UTC:07:23:31.271829 = MJD-53543.TAI:07:24:03.271829 =
LGT-4626141843271829e-6