

Logiweb dictionary of peano

Up [Help](#)

0 0 peano

1 0 $\dot{0}$

2 0 $\dot{1}$

3 0 $\dot{2}$

4 0 $\dot{a}$

5 0 $\dot{b}$

6 0 $\dot{c}$

7 0 $\dot{d}$

8 0 $\dot{e}$

9 0 $\dot{f}$

10 0 $\dot{g}$

11 0 $\dot{h}$

12 0 $\dot{i}$

13 0 $\dot{j}$

14 0 $\dot{k}$

15 0 $\dot{l}$

16 0 $\dot{m}$

17 0 $\dot{n}$

18 0 $\dot{o}$

19 0 $\dot{p}$

20 0 $\dot{q}$

21 0 $\dot{r}$

22 0 $\dot{s}$

23 0 $\dot{t}$

24 0 $\dot{u}$

25 0 $\dot{v}$

26 0 $\dot{w}$

27 0 $\dot{x}$

28 0 $\dot{y}$

29 0 $\dot{z}$
 30 2 $\text{nonfree}(*,*)$
 31 2 $\text{nonfree}^*(*,*)$
 32 3 $\text{free}\langle *|* := *\rangle$
 33 3 $\text{free}^*\langle *|* := *\rangle$
 34 4 $*\equiv\langle *|* := *\rangle$
 35 4 $*\equiv\langle *|* := *\rangle$
 36 0 S
 37 0 A1
 38 0 A2
 39 0 A3
 40 0 A4
 41 0 A5
 42 0 S1
 43 0 S2
 44 0 S3
 45 0 S4
 46 0 S5
 47 0 S6
 48 0 S7
 49 0 S8
 50 0 S9
 51 0 MP
 52 0 Gen
 53 0 L3.2(a)
 54 0 S'
 55 0 A1'
 56 0 A2'
 57 0 A3'
 58 0 A4'
 59 0 A5'
 60 0 S1'
 61 0 S2'
 62 0 S3'

63 0 $S4'$
 64 0 $S5'$
 65 0 $S6'$
 66 0 $S7'$
 67 0 $S8'$
 68 0 $S9'$
 69 0 MP'
 70 0 Gen'
 71 0 $L3.2(a)'$
 72 0 $M1.7$
 73 0 MP'_h
 74 0 Hypothesize
 75 0 Gen'_h
 76 0 $M3.2(a)$
 77 0 $M3.2(a)_h$
 78 0 $M3.2(b)_h$
 79 0 $M3.1(S1')_h$
 80 0 $M3.2(c)_h$
 81 0 $M3.1(S2')_h$
 82 0 $M3.1(S5')_h$
 83 0 $M3.1(S6')_h$
 84 0 $M3.2(f)$
 85 1 $*$
 86 1 $*$
 87 2 $* \dot{ : } *$
 88 2 $* \dot{ + } *$
 89 2 $* \stackrel{P}{=} *$
 90 1 $*^{\mathcal{P}}$
 91 1 $* \dot{ \vdash } *$
 92 2 $* \dot{ \wedge } *$
 93 2 $* \dot{ \vee } *$
 94 2 $* \dot{ \vee } *: *$
 95 2 $* \dot{ \exists } *: *$
 96 2 $* \dot{ \Rightarrow } *$

$$97 \quad 2 \quad * \quad \dot{\Leftrightarrow} \quad *$$

$$98 \quad 2 \quad * \quad \triangleq \quad *$$

$$99 \quad 2 \quad * \quad \triangleq_{\text{h}} \quad *$$

The pyk compiler, version 0.grue.20050603 by Klaus Grue
GRD-2005-06-29.UTC:12:32:14.418881 = MJD-53550.TAI:12:32:46.418881 =
LGT-4626765166418881e-6